



CRITERIA FOR SPECIALISATION CATEGORY BARRIER-FREE / BARRIER-FREE WITH LIMITATIONS

The criteria for barrier-free holiday homes are taken from the nationally valid list of criteria compiled by Pro Infirmis and its partner organisations. For this reason, only three qualifying questions are asked in the questionnaire form for the classification of holiday homes and guest rooms.

If the answers to these qualifying questions are positive, an inspection is triggered automatically; in the course of this inspection, the entire holiday home will be surveyed on the basis of the Pro Infirmis system. Following this, the system automatically supplies the «barrier-free» or «barrier-free with limitations» specialisation.

QUALIFYING QUESTIONS

1. The main entrance or a side entrance is accessible without steps, door width minimum 70 cm, or via lift, its cabin size a minimum of 90x120 cm, a ramp with a maximal incline (or gradient) of 15%, a stairlift or a lifting platform.
 2. Access to all general rooms and at least one wheelchair-accessible 2-bedded room is possible without steps, or via a lift, ramp, stairlift or lifting platform.
 3. The usable width of doors to all general rooms (including the entry door) and at least one wheelchair-accessible 2-bedded room is ≥ 70 cm (narrowest negotiable width).
- The rental unit meets the above criteria.
 The rental unit does not meet the above criteria.